

**National Health and Nutrition Examination Survey
Codebook for Data Production (2001-2002)**

**Oral Heath Dentition (OHXDEN_B)
Person Level Data**

June 2006

SEQN	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Respondent sequence number
English Text: Respondent sequence number.	
English Instructions:	

OHAEXSTS	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Overall Oral Health Exam Status
English Text: Overall Oral Health Exam Status	
English Instructions:	
Codes:	Skip To Values:
1= Completed	
2= Partial	
3= Not Done	

OHASCST3	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Dentition Status Code
English Text: Dentition Status Code	
English Instructions:	
Codes:	Skip To Values:
1= Complete	
2= Partial	
3= Not done	

OHD08TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #8
English Text: Tooth Count: Upper right central incisor (CI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD07TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #7
English Text: Tooth Count: Upper right lateral incisor (LI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD06TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #6
English Text: Tooth Count: Upper right cuspid (C)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	

4= Not present

OHD05TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #5
English Text: Tooth Count: Upper right 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD04TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #4
English Text: Tooth Count: Upper right 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD03TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #3
English Text: Tooth Count: Upper right 1st molar (1M)	
English Instructions:	
Codes: 2= Permanent tooth (succedaneous) 3= Implant	Skip To Values:

4= Not present

OHD02TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #2
English Text: Tooth Count: Upper right 2nd molar (2M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD01TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #1
English Text: Tooth Count: Upper right 3rd molar (3M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD09TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #9
English Text: Tooth Count: Upper left central incisor (CI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD10TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #10
English Text: Tooth Count: Upper left lateral incisor (LI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD11TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #11
English Text: Tooth Count: Upper left cuspid (C)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD12TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #12
English Text: Tooth Count: Upper left 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	

4= Not present

OHD13TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #13
English Text: Tooth Count: Upper left 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD14TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #14
English Text: Tooth Count: Upper left 1st molar (1M)	
English Instructions:	
Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD15TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #15
English Text: Tooth Count: Upper left 2nd molar (2M)	
English Instructions:	
Codes: 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD16TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #16
English Text: Tooth Count: Upper left 3rd molar (3M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD24TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #24
English Text: Tooth Count: Lower left central incisor (CI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD23TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #23
English Text: Tooth Count: Lower left lateral incisor (LI)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD22TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #22
English Text: Tooth Count: Lower left cuspid (C)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD21TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #21
English Text: Tooth Count: Lower left 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD20TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #20
English Text: Tooth Count: Lower left 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	

4= Not present

OHD19TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #19
English Text: Tooth Count: Lower left 1st molar (1M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD18TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #18
English Text: Tooth Count: Lower left 2nd molar (2M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD17TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #17
English Text: Tooth Count: Lower left 3rd molar (3M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD25TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #25
English Text: Tooth Count: Lower right central incisor (CI)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD26TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #26
English Text: Tooth Count: Lower right lateral incisor (LI)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD27TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #27
English Text: Tooth Count: Lower right cuspid (C)	
English Instructions:	
Codes: 1= Primary tooth (deciduous) 2= Permanent tooth (succedaneous) 3= Implant 4= Not present	Skip To Values:

OHD28TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #28
English Text: Tooth Count: Lower right 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD29TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #29
English Text: Tooth Count: Lower right 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes:	Skip To Values:
1= Primary tooth (deciduous)	
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD30TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #30
English Text: Tooth Count: Lower right 1st molar (1M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD31TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #31
English Text: Tooth Count: Lower right 2nd molar (2M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHD32TC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Tooth Count: #32
English Text: Tooth Count: Lower right 3rd molar (3M)	
English Instructions:	
Codes:	Skip To Values:
2= Permanent tooth (succedaneous)	
3= Implant	
4= Not present	

OHXIMP	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Dental Implant: yes / no?
English Text: Tooth Count: Ever had a tooth replaced with a surgical implant?	
English Instructions: Do you have a tooth replaced with a surgical implant?	
Codes:	Skip To Values:
1= Yes	
2= No	

OHXEDEN	Target
	B(2 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
	Edentulous: yes / no
English Text: Tooth Count: Edentulous	
English Instructions:	
Codes: 1= Yes 2= No	Skip To Values:

OHD08CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #8
English Text: Coronal Caries: Upper right central incisor (CI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD08CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #8
English Text: Coronal Caries: Upper right central incisor (CI) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries	Skip To Values:

- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

OHD07CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #7
English Text: Coronal Caries: Upper right lateral incisor (LI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD07CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #7
English Text: Coronal Caries: Upper right lateral incisor (LI) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries 3= Mesial caries 4= Distal caries	Skip To Values:

5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

OHD06CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #6
English Text: Coronal Caries: Upper right cuspid (C) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD06CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #6
English Text: Coronal Caries: Upper right cuspid (C) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 7= Facial surface restoration	Skip To Values:

8= Mesial restoration
 9= Distal restoration

OHD05CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #5
English Text: Coronal Caries: Upper right 1st bicuspid/1st primary molar (1B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD05CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #5
English Text: Coronal Caries: Upper right 1st biscuspid/1st primary molar (1B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	

8= Mesial restoration
 9= Distal restoration

OHD04CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #4
English Text: Coronal Caries: Upper right 2nd bicuspid/2nd primary molar (2B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD04CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #4
English Text: Coronal Caries: Upper right 2nd bicuspid/2nd primary molar (2B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	

8= Mesial restoration
 9= Distal restoration

OHD03CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #3
English Text: Coronal Caries: Upper right 1st molar (1M) tooth code	
English Instructions:	
Codes:	Skip To Values:
E= Missing due to dental disease	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD03CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #3
English Text: Coronal Caries: Upper right 1st molar (1M) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD02CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #2
English Text: Coronal Caries: Upper right 2nd molar (2M) tooth code	
English Instructions:	
Codes: E= Missing due to dental disease M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD02CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #2
English Text: Coronal Caries: Upper right 2nd molar (2M) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD09CTC	Target
-----------------	---------------

	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #9
English Text: Coronal Caries: Upper left central incisor (CI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD09CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #9
English Text: Coronal Caries: Upper left central incisor (CI) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD10CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label

	Coronal Caries: Tooth count #10
English Text: Coronal Caries: Upper left lateral incisor (LI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD10CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #10
English Text: Coronal Caries: Upper left lateral incisor (LI) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD11CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth Count #11
English Text: Coronal Caries: Upper left cuspid (C) tooth code	

English Instructions:**Codes:**

D= Sound primary tooth
 E= Missing due to dental disease
 K= Primary tooth with surface condition (s)
 M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 U= Unerupted
 X= Missing due to other causes but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

Skip To Values:

OHD11CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #11

English Text: Coronal Caries: Upper left cuspid (C) surface calls**English Instructions:****Codes:**

0= Lingual surface caries
 2= Facial surface caries
 3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

Skip To Values:

OHD12CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #12

English Text: Coronal Caries: Upper left 1st bicuspid/1st primary molar (1B) tooth code**English Instructions:**

Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:
---	------------------------

OHD12CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #12
English Text: Coronal Caries: Upper left 1st bicuspid/1st primary molar (1B) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD13CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #13
English Text: Coronal Caries: Upper left 2nd bicuspid/2nd primary molar (2B) tooth code	
English Instructions:	

Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:
---	------------------------

OHD13CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #13
English Text: Coronal Caries: Upper left 2nd bicuspid/2nd primary molar (2B) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD14CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #14
English Text: Coronal Caries: Upper left 1st molar (1M) tooth code	
English Instructions:	

Codes: E= Missing due to dental disease M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:
--	------------------------

OHD14CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #14
English Text: Coronal Caries: Upper left 1st molar (1M) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD15CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #15
English Text: Coronal Caries: Upper left 2nd molar (2M) tooth code	
English Instructions:	
Codes: E= Missing due to dental disease	Skip To Values:

M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 U= Unerupted
 X= Missing due to other causes but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

OHD15CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #15
English Text: Coronal Caries: Upper left 2nd molar (2M) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD24CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #24
English Text: Coronal Caries: Lower left central incisor (CI) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	

M= Missing due to other causes
 R= Missing due to dental disease but replaced
 S= Sound permanent tooth
 U= Unerupted
 X= Missing due to other causes but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

OHD24CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #24
English Text: Coronal Caries: Lower left central incisor (CI) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD23CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #23
English Text: Coronal Caries: Lower left lateral incisor (LI) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	

S= Sound permanent tooth
 U= Unerupted
 X= Missing due to other causes but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

OHD23CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #23
English Text: Coronal Caries: Lower left lateral incisor (LI) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD22CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #22
English Text: Coronal Caries: Lower left cuspid (C) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	

X= Missing due to other causes but replaced
 Y= Tooth present, condition cannot be assessed
 Z= Permanent tooth with surface condition (s)

OHD22CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #22
English Text: Coronal Caries: Lower left cuspid (C) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD21CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #21
English Text: Coronal Caries: Lower left 1st bicuspid/1st primary molar (1B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	

Z= Permanent tooth with surface condition (s)

OHD21CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #21
English Text: Coronal Caries: Lower left 1st bicuspid/1st primary molar (1B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD20CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #20
English Text: Coronal Caries: Lower left 2nd bicuspid/2nd primary molar (2B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	

Z= Permanent tooth with surface condition (s)

OHD20CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #20
English Text: Coronal Caries: Lower left 2nd bicuspid/2nd primary molar (2B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
6= Occlusal/incisal restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD19CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #19
English Text: Coronal Caries: Lower left 1st molar (1M) tooth code	
English Instructions:	
Codes:	Skip To Values:
E= Missing due to dental disease	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD19CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #19
English Text: Coronal Caries: Lower left 1st molar (1M) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD18CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #18
English Text: Coronal Caries: Lower left 2nd molar (2M) tooth code	
English Instructions:	
Codes: E= Missing due to dental disease M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD18CSC	Target
	B(2 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
	Coronal Caries: Surface condition #18
English Text: Coronal Caries: Lower left 2nd molar (2M) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 1= Occlusal/incisal caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 6= Occlusal/incisal restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD25CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #25
English Text: Coronal Caries: Lower right central incisor (CI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD25CSC	Target
	B(2 Yrs. to 150 Yrs.)

Hard Edits	SAS Label
	Coronal Caries: Surface condition #25
English Text: Coronal Caries: Lower right central incisor (CI) surface calls	
English Instructions:	
Codes: 0= Lingual surface caries 2= Facial surface caries 3= Mesial caries 4= Distal caries 5= Lingual surface restoration 7= Facial surface restoration 8= Mesial restoration 9= Distal restoration	Skip To Values:

OHD26CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #26
English Text: Coronal Caries: Lower right lateral incisor (LI) tooth code	
English Instructions:	
Codes: D= Sound primary tooth E= Missing due to dental disease K= Primary tooth with surface condition (s) M= Missing due to other causes R= Missing due to dental disease but replaced S= Sound permanent tooth U= Unerupted X= Missing due to other causes but replaced Y= Tooth present, condition cannot be assessed Z= Permanent tooth with surface condition (s)	Skip To Values:

OHD26CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #26

English Text: Coronal Caries: Lower right lateral incisor (LI) surface calls

English Instructions:

Codes:

- 0= Lingual surface caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

Skip To Values:

OHD27CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #27

English Text: Coronal Caries: Lower right cuspid (C) tooth code

English Instructions:

Codes:

- D= Sound primary tooth
- E= Missing due to dental disease
- K= Primary tooth with surface condition (s)
- M= Missing due to other causes
- R= Missing due to dental disease but replaced
- S= Sound permanent tooth
- U= Unerupted
- X= Missing due to other causes but replaced
- Y= Tooth present, condition cannot be assessed
- Z= Permanent tooth with surface condition (s)

Skip To Values:

OHD27CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #27

English Text: Coronal Caries: Lower right cuspid (C) surface calls

English Instructions:

Codes:	Skip To Values:
0= Lingual surface caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	
5= Lingual surface restoration	
7= Facial surface restoration	
8= Mesial restoration	
9= Distal restoration	

OHD28CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #28
English Text: Coronal Caries: Lower right 1st bicuspid/1st primary molar (1B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD28CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #28
English Text: Coronal Caries: Lower right 1st bicuspid/1st primary molar (1B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	

- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

OHD29CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #29
English Text: Coronal Caries: Lower right 2nd bicuspid/2nd primary molar (2B) tooth code	
English Instructions:	
Codes:	Skip To Values:
D= Sound primary tooth	
E= Missing due to dental disease	
K= Primary tooth with surface condition (s)	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD29CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #29
English Text: Coronal Caries: Lower right 2nd bicuspid/2nd primary molar (2B) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	

- 1= Occlusal/incisal caries
- 2= Facial surface caries
- 3= Mesial caries
- 4= Distal caries
- 5= Lingual surface restoration
- 6= Occlusal/incisal restoration
- 7= Facial surface restoration
- 8= Mesial restoration
- 9= Distal restoration

OHD30CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #30
English Text: Coronal Caries: Lower right 1st molar (1M) tooth code	
English Instructions:	
Codes:	Skip To Values:
E= Missing due to dental disease	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD30CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #30
English Text: Coronal Caries: Lower right 1st molar (1M) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	

3= Mesial caries
 4= Distal caries
 5= Lingual surface restoration
 6= Occlusal/incisal restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

OHD31CTC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Tooth count #31
English Text: Coronal Caries: Lower right 2nd molar (2M) tooth code	
English Instructions:	
Codes:	Skip To Values:
E= Missing due to dental disease	
M= Missing due to other causes	
R= Missing due to dental disease but replaced	
S= Sound permanent tooth	
U= Unerupted	
X= Missing due to other causes but replaced	
Y= Tooth present, condition cannot be assessed	
Z= Permanent tooth with surface condition (s)	

OHD31CSC	Target
	B(2 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Coronal Caries: Surface condition #31
English Text: Coronal Caries: Lower right 2nd molar (2M) surface calls	
English Instructions:	
Codes:	Skip To Values:
0= Lingual surface caries	
1= Occlusal/incisal caries	
2= Facial surface caries	
3= Mesial caries	
4= Distal caries	

5= Lingual surface restoration
 6= Occlusal/incisal restoration
 7= Facial surface restoration
 8= Mesial restoration
 9= Distal restoration

OHXRCAR	Target
	B(18 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Root Caries: yes / no
English Text: Root Caries: Whole mouth root caries	
English Instructions:	
Codes:	Skip To Values:
1= Root caries detected	
2= No root caries detected	
9= Cannot be assessed	

OHXRRES	Target
	B(18 Yrs. to 150 Yrs.)
Hard Edits	SAS Label
	Root restorations: yes / no
English Text: Root Caries: Whole mouth root restorations	
English Instructions:	
Codes:	Skip To Values:
1= Root restoration(s) detected	
2= No root restoration(s) detected	
9= Cannot be assessed	

OHX07SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #7
English Text: Dental Sealants: Upper right lateral incisor (LI) sealant codes	
English Instructions:	
Codes:	Skip To Values:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

OHX05SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #5
English Text: Dental Sealants: Upper right 1st bicuspid/1st primary molar (1B) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX04SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #4
English Text: Dental Sealants: Upper right 2nd bicuspid/2nd primary molar (2B) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX03SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #3
English Text: Dental Sealants: Upper right 1st molar (1M) sealant codes	
English Instructions:	
Codes: 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	Skip To Values:

OHX02SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #2
English Text: Dental Sealants: Upper right 2nd molar (2M) sealant codes	
English Instructions:	
Codes: 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	Skip To Values:

OHX10SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #10
English Text: Dental Sealants: Upper left lateral incisor (LI) sealant codes	
English Instructions:	
Codes:	Skip To Values:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

OHX12SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #12
English Text: Dental Sealants: Upper left 1st bicuspid/1st primary molar (1B) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX13SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #13
English Text: Dental Sealants: Upper left 2nd bicuspid/2nd primary molar (2B) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX14SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #14
English Text: Dental Sealants: Upper left 1st molar (1M) sealant codes	
English Instructions:	
Codes:	Skip To Values:
0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	

OHX15SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #15
English Text: Dental Sealants: Upper left 2nd molar (2M) sealant codes	
English Instructions:	
Codes:	Skip To Values:
0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	

OHX21SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #21
English Text: Dental Sealants: Lower left 1st bicuspid/1st primary molar (1B) sealant codes	
English Instructions:	
Codes:	Skip To Values:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

OHX20SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #20
English Text: Dental Sealants: Lower left 2nd bicuspid/2nd primary molar (2B) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX19SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #19
English Text: Dental Sealants: Lower left 1st molar (1M) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX18SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #18
English Text: Dental Sealants: Lower left 2nd molar (2M) sealant codes	
English Instructions:	
Codes: 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	Skip To Values:

OHX28SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #28
English Text: Dental Sealants: Lower right 1st bicuspid/1st primary molar (1B) sealant codes	
English Instructions:	
Codes: 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed	Skip To Values:

OHX29SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #29
English Text: Dental Sealants: Lower right 2nd bicuspid/2nd primary molar (2B) sealant codes	
English Instructions:	
Codes:	Skip To Values:

- 0= Sealant not present
- 1= Occlusal sealant on permanent tooth
- 2= Facial sealant on permanent tooth
- 3= Lingual sealant on permanent tooth
- 4= Occlusal sealant on primary tooth
- 9= Cannot be assessed

OHX30SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #30
English Text: Dental Sealants: Lower right 1st molar (1M) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX31SE	Target
	B(2 Yrs. to 34 Yrs.)
Hard Edits	SAS Label
	Dental Sealants: #31
English Text: Dental Sealants: Lower right 2nd molar (2M) sealant codes	
English Instructions:	
Codes:	Skip To Values:
<ul style="list-style-type: none"> 0= Sealant not present 1= Occlusal sealant on permanent tooth 2= Facial sealant on permanent tooth 3= Lingual sealant on permanent tooth 4= Occlusal sealant on primary tooth 9= Cannot be assessed 	

OHX08DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #8
English Text: Fluorosis Deans Index: Upper right central incisor (CI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX07DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #7
English Text: Fluorosis Deans Index: Upper right lateral incisor (LI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX06DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #6

English Text: Fluorosis Deans Index: Upper right cuspid (C)

English Instructions:

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:

OHX05DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #5

English Text: Fluorosis Deans Index: Upper right 1st bicuspid/1st primary molar (1B)

English Instructions:

Codes:

- 0= Normal
- 1= Very mild
- 2= Mild
- 3= Moderate
- 4= Severe
- 5= Questionable
- 8= Non-fluoride opacities
- 9= Cannot be assessed

Skip To Values:

OHX04DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #4

English Text: Fluorosis Deans Index: Upper right 2nd bicuspid/2nd primary molar (2B)

English Instructions:

Codes:

Skip To Values:

0= Normal
 1= Very mild
 2= Mild
 3= Moderate
 4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

OHX03DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #3
English Text: Fluorosis Deans Index: Upper right 1st molar (1M)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX02DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #2
English Text: Fluorosis Deans Index: Upper right 2nd molar (2M)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate	Skip To Values:

4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

OHX09DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #9
English Text: Fluorosis Deans Index: Upper left central incisor (CI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX10DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #10
English Text: Fluorosis Deans Index: Upper left lateral incisor (LI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX11DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #11
English Text: Fluorosis Deans Index: Upper left cuspid (C)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX12DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #12
English Text: Fluorosis Deans Index: Upper left 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX13DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label

	Fluorosis DI: #13
English Text: Fluorosis Deans Index: Upper left 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX14DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #14
English Text: Fluorosis Deans Index: Upper left 1st molar (1M)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX15DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #15
English Text: Fluorosis Deans Index: Upper left 2nd molar (2M)	
English Instructions:	

Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:
--	------------------------

OHX24DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #24
English Text: Fluorosis Deans Index: Lower left central incisor (CI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX23DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #23
English Text: Fluorosis Deans Index: Lower left lateral incisor (LI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild	Skip To Values:

3= Moderate
 4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

OHX22DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #22
English Text: Fluorosis Deans Index: Lower left cuspid (C)	
English Instructions:	
Codes:	Skip To Values:
0= Normal	
1= Very mild	
2= Mild	
3= Moderate	
4= Severe	
5= Questionable	
8= Non-fluoride opacities	
9= Cannot be assessed	

OHX21DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #21
English Text: Fluorosis Deans Index: Lower left 1st bicuspid/1st primary molar (1B)	
English Instructions:	
Codes:	Skip To Values:
0= Normal	
1= Very mild	
2= Mild	
3= Moderate	
4= Severe	
5= Questionable	
8= Non-fluoride opacities	

9= Cannot be assessed

OHX20DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #20
English Text: Fluorosis Deans Index: Lower left 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX19DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #19
English Text: Fluorosis Deans Index: Lower left 1st molar (1M)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX18DI	Target
----------------	---------------

	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #18
English Text: Fluorosis Deans Index: Lower left 2nd molar (2M)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX25DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #25
English Text: Fluorosis Deans Index: Lower right central incisor (CI)	
English Instructions:	
Codes: 0= Normal 1= Very mild 2= Mild 3= Moderate 4= Severe 5= Questionable 8= Non-fluoride opacities 9= Cannot be assessed	Skip To Values:

OHX26DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #26
English Text: Fluorosis Deans Index: Lower right lateral incisor (LI)	

English Instructions:**Codes:**

0= Normal
 1= Very mild
 2= Mild
 3= Moderate
 4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

Skip To Values:**OHX27DI****Target**

B(6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis DI: #27

English Text: Fluorosis Deans Index: Lower right cuspid (C)**English Instructions:****Codes:**

0= Normal
 1= Very mild
 2= Mild
 3= Moderate
 4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

Skip To Values:**OHX28DI****Target**

B(6 Yrs. to 49 Yrs.)

Hard Edits**SAS Label**

Fluorosis DI: #28

English Text: Fluorosis Deans Index: Lower right 1st bicuspid/1st primary molar (1B)**English Instructions:****Codes:**

0= Normal

Skip To Values:

1= Very mild
 2= Mild
 3= Moderate
 4= Severe
 5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

OHX29DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #29
English Text: Fluorosis Deans Index: Lower right 2nd bicuspid/2nd primary molar (2B)	
English Instructions:	
Codes:	Skip To Values:
0= Normal	
1= Very mild	
2= Mild	
3= Moderate	
4= Severe	
5= Questionable	
8= Non-fluoride opacities	
9= Cannot be assessed	

OHX30DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #30
English Text: Fluorosis Deans Index: Lower right 1st molar (1M)	
English Instructions:	
Codes:	Skip To Values:
0= Normal	
1= Very mild	
2= Mild	
3= Moderate	
4= Severe	

5= Questionable
 8= Non-fluoride opacities
 9= Cannot be assessed

OHX31DI	Target
	B(6 Yrs. to 49 Yrs.)
Hard Edits	SAS Label
	Fluorosis DI: #31
English Text: Fluorosis Deans Index: Lower right 2nd molar (2M)	
English Instructions:	
Codes:	Skip To Values:
0= Normal	
1= Very mild	
2= Mild	
3= Moderate	
4= Severe	
5= Questionable	
8= Non-fluoride opacities	
9= Cannot be assessed	

OHX08TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #8
English Text: Incisor Trauma: Upper right central incisor (CI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury	
1= Unrestored enamel fracture present that does not involve the dentine	
2= Unrestored enamel fracture which involves the dentine	
3= Untreated damage (indicative of pulpal involvement)	
4= Fracture restored, either with full crown or less extensive restoration	
5= Lingual restoration as a sign of endontic therapy, and a positive history of root	

6= Tooth is missing due to trauma
 9= Cannot be assessed

OHX07TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #7
English Text: Incisor Trauma: Upper right lateral incisor (LI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration 5= Lingual restoration as a sign of endontic therapy, and a positive history of root 6= Tooth is missing due to trauma 9= Cannot be assessed	

OHX09TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #9
English Text: Incisor Trauma: Upper left central incisor (CI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration 5= Lingual restoration as a sign of endontic therapy, and a	

positive history of root
 6= Tooth is missing due to trauma
 9= Cannot be assessed

OHX10TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #10
English Text: Incisor Trauma: Upper left lateral incisor (LI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration 5= Lingual restoration as a sign of endontic therapy, and a positive history of root 6= Tooth is missing due to trauma 9= Cannot be assessed	

OHX24TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #24
English Text: Incisor Trauma: Lower left central incisor (CI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury 1= Unrestored enamel fracture present that does not involve the dentine 2= Unrestored enamel fracture which involves the dentine 3= Untreated damage (indicative of pulpal involvement) 4= Fracture restored, either with full crown or less extensive restoration	

5= Lingual restoration as a sign of endontic therapy, and a positive history of root
 6= Tooth is missing due to trauma
 9= Cannot be assessed

OHX23TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #23
English Text: Incisor Trauma: Lower left lateral incisor (LI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury	
1= Unrestored enamel fracture present that does not involve the dentine	
2= Unrestored enamel fracture which involves the dentine	
3= Untreated damage (indicative of pulpal involvement)	
4= Fracture restored, either with full crown or less extensive restoration	
5= Lingual restoration as a sign of endontic therapy, and a positive history of root	
6= Tooth is missing due to trauma	
9= Cannot be assessed	

OHX25TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #25
English Text: Incisor Trauma: Lower right central incisor (CI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury	
1= Unrestored enamel fracture present that does not involve the dentine	
2= Unrestored enamel fracture which involves the dentine	
3= Untreated damage (indicative of pulpal involvement)	
4= Fracture restored, either with full crown or less extensive	

restoration

5= Lingual restoration as a sign of endontic therapy, and a positive history of root

6= Tooth is missing due to trauma

9= Cannot be assessed

OHX26TR	Target
	B(6 Yrs. to 29 Yrs.)
Hard Edits	SAS Label
	Incisor Trauma: #26
English Text: Incisor Trauma: Lower right lateral incisor (LI) traumatic injury code	
English Instructions:	
Codes:	Skip To Values:
0= No evidence of traumatic injury	
1= Unrestored enamel fracture present that does not involve the dentine	
2= Unrestored enamel fracture which involves the dentine	
3= Untreated damage (indicative of pulpal involvement)	
4= Fracture restored, either with full crown or less extensive restoration	
5= Lingual restoration as a sign of endontic therapy, and a positive history of root	
6= Tooth is missing due to trauma	
9= Cannot be assessed	